
# **Explosion Proof Motors**

1/3 - 500 HP, 2,4,6,& 8 Pole





## **Explosion Proof - Three Phase**

## Three Phase

## Foot Mount and Flange Mount

WEG Explosion Proof motors are suitable for applications requiring UL or CSA certification for hazardous locations. Thermally protected with thermostats, all motors manufactured are submitted to routine testing at the factory to ensure compliance to the required specifications. WEG Explosion Proof motors are specifically designed to meet or exceed all North American requirements for energy efficiency.







### Standard Features:

- Efficiency Certification number CC029A according to US Department of Energy Regulations
- Three-phase, 60Hz
- Voltage: 208-230/460, 460 or 575V
- Squirrel cage rotor / Aluminum die cast
- Totally Enclosed Fan Cooled TEFC (IP54 & IP55)
- Ball bearings are supplied as standard regreasable bearings 254T Frames & Larger
- · Cast iron frame
- Class 'F' insulation
- Temperature rise: Class 'B' (80°C) FL
- Service factor: 1.15

- Inverter Duty
- NEMA dimensions
- NEMA ratings design 'B'
- Continuous Duty (S1)
- 55° ambient @ 1.0SF through 150hp 2 and 4 pole
- 104°F (40°C) ambient temperature
- Altitude: 3300 ft (1000 m)
- 1045 Carbon Steel Shaft for frames up to 365T
- 4140 steel shaft for motors 404T and above.
- · Class 'F' insulation for all frames
- 60/50Hz Nameplate
- Stainless steel nameplate

- Paint: Expoxy with Polyurethane top coat (exceeds ASTM B117 salt spray test 200 hours)
- Color: RAL 5009 Blue
- NPT threaded terminal box
- Non-sparking fan
- Thermostats
- F1 mount

## **Optional Features:**

- Flange mount
- AEGIS® inside
- Special voltages
- Space heaters
- · Specially dimensioned shaft
- · Double shaft
- Stainless steel shaft
- Footless
- Other mounting configurations
- IP66
- Encoders
- TENV

## **Applications:**

- Petro Chem
- Flour / feed mills
- Grain elevators
- Fans
- Pumps
- Blowers
- Material handling equipment
- Other applications requiring motors UL or CSA listed for hazardous locations

CSA AND UL APPROVED CSA approved - File LR 50962 Class I, Division I, groups C and D Class II, Division I, groups F and G UL approved - File E 87848
Temperature code T3C
Frame 143T up to 326T
Class I, Division I, groups C and D
Class II, Division I, groups F and G

Frame 364T up to 586/7
Temperature code T3C
Class I, Division I, groups C and D
Class II, Division I, groups F and G\*
\* For group G, Service Factor 1.0

IEC - Ex Certification Available



## **Fractional Explosion Proof - Three Phase**

Great complement to our integral explosion proof offering, allowing us to come to customers with complete solution.

## **Standard Features:**

- Class F insulation
- 50°C ambient temperature rating
- 1.0 service factor
- Foot mount motors with and without C-flange
- IP 55 rating
- Class I Group C & D and Class II Groups E, F & G T3C
- Thermally Protected
- Three-Phase motors also rated for 50Hz
- Long leads for remote wiring
- Unassembled aluminum conduit box included
- Aluminum endshields



C UL US LISTED

## **Single-Phase motors**

2-Pole - from 1/3HP to 2HP

4-Pole - from 1/3HP to 1.5HP

1/3HP 4-Pole is TENV

All others are TEFC

## **Three-Phase motors**

2-Pole - from 1/3HP to 2HP

4-Pole - from 1/3HP to 2HP

1/3HP 2 & 4-Pole are TENV

All others are TEFC

# Now available in Jet Pump 56J Single-Phase motors

2-Pole - from 1/2HP to 1.5HP

**TEFC** 

## **Three-Phase motors**

2-Pole - from 1/2HP to 2HP

**TEFC** 



US.Explosion.Proof.2018

WEG Electric Corp. offers the following products, and more! With a full range of IEC/NEMA Global Certifications and a full line of products, WEG can supply the right solution for your needs anywhere in the world. To learn more about WEG's products and solutions or to locate a Distributor near you, please call **1-800-ASK-4WEG** or visit **www.weg.net**.

#### Low Voltage Motors,

#### Single and 3-Phase, 1/8 - 700HP

General Purpose Motors Explosion Proof Motors Crusher Duty Motors

IEC Tru-Metric Motors

Pump Motors including JP/JM

P-Base Pump Motors

Oil Well Pumping Motors

Pool & Spa Motors

Brake Motors

Compressor Duty Motors

Farm Duty Motors

Poultry Fan Motors

Auger Drive Motors

IEEE 841 Motors

Stainless Steel Wash Down Motors

Saw Arbor Motors

Cooling Tower Motors

Commercial HVAC Motors

Pad Mounted Motors

Vector Duty Motors

### **Large Electric Motors**

Low Voltage 3-phase motors up to 2.500HP

Motors up to 70,000HP and 13,200V Wound Rotor Systems (including starters) up to 70,000HP and 13,200V

Synchronous Motors up to 70,000HP and 13,200V

Explosion proof motors (Ex-d) up to 1,500kW and 11kV

Ex-n, Ex-e, Ex-p motors

#### **Variable Frequency Drives**

Low Voltage 1/4 to 2500HP, 230V – 480V Medium Voltage 500-8000HP

Multi-pump systems

NEMA 4X

Dynamic braking resistors

Line and load reactors

Plug and play technology

Network communications: Profibus-DP,

DeviceNet, Modbus-RTU

PLC functions integrated

Complete line of options and accessories

#### **Soft Starters**

3-1500HP

Oriented start-up

Built-in bypass contactor

Universal source voltage (230-575V,

50/60Hz)

Network communications: Profibus-DP,

DeviceNet, Modbus-RTU

Complete Line of options and accessories

MV Soft-starter 3.3kV, 4.16kV: up to

3500HP, Withdrawable Power Stacks, & 8x PT100 Temperature monitoring

#### Controls

Mini - Contactors

**IEC Contactors** 

Thermal Overload Relays

Manual Motor Protectors

Molded Case Circuit Breakers

Smart Relays

Enclosed Starters: combination & non-

combination,

Pushbuttons & Pilot Lights

Timing & Motor Protection Relays

Terminal Blocks

#### **Custom Panels**

Custom configured to your specification. NEMA 1, 12, 3R, 4 and 4X cabinets Quick delivery of preconfigured drives and soft starters UL 508 certified Low Voltage (230-460)

#### Generators

Made in the U.S.A.

Brushless Synchronous Generators for diesel gen-sets up to 4,200kVA Hydro-generators up to 25,000kVA Turbo-generators up to 62,500kVA

#### **Power Transformers**

Built and engineered in North America

Voltages < 500kV

Ratings 5-300MVA

Station class, oil filled, round core, copper

windings

Special configurations and designs

available!

Ask your WEG Sales Representative for

etails.

Designed, built, and engineered to ANSI standards.

#### **Custom Solution Package Sales**

Please contact your authorized distributor:

WEG can package any of its products for ease of sale! Enjoy a single point of contact for the entire package of products and assistance from quote through after-sales support. Ask your WEG Sales Representative for details.



WEG Electric Corp. 6655 Sugarloaf Parkway Duluth, GA 30097 Phone: 1-800-ASK-4WEG www.weg.net