





Smooth*DESIGN*

PREVENTS DIRT GATHERING
ON THE SURFACE


REACT FLEXIBLY TO THE
APPLICATION REQUIREMENTS
WITH THE **TWINLIGHT** AND **TWINFLASH** AND THEREBY
REDUCE THE NUMBER
OF VARIANTS

YOU NO LONGER NEED TO ACCEPT ANY COMPROMISES

Up to now you had to choose between:

- quick and easy installation or good visibility
- permanent or flashing light
- a high level of flexibility in light effects and signalling options or fewer part numbers
- very good performance or an attractive price
- good design or functionality

The new **KombiSIGN 72** means NO MORE compromises, because we combine quick installation, top visibility and outstanding flexibility.





KombiSIGN 72

Leading industrial and logistics companies rely on the **KombiSIGN 72**. Unlike conventional signalling devices, **KombiSIGN 72** combines the highest level of flexibility (modular, twin elements), the **best visibility** from all positions (OmniVIEW), and simple installation (Poka Yoke). The **KombiSIGN 72** has a **future-orientated design** that can be easily networked to an MDC alternative SmartMONITOR or to the AndonSPEED call for action system. **This saves time and money**, throughout the entire process from purchasing, and installation, to daily use.




KombiSIGN 72

Diameter	70 mm
Voltage	24 V
Protection rating	IP 65
Number of tiers possible	1-5
Optional interfaces	ASi, USB, Smart <i>MONITOR,</i> Andon <i>SPEED</i>

Your benefits

- Smooth DESIGN: smooth surfaces prevent dirt gathering
- Simple, intuitive installation (Poka Yoke – incorrect installation impossible)
- High-tech: the Signal Towers can easily be retrofitted with SmartMONITOR or AndonSPEED
- TwinLIGHT and TwinFLASH: two light effects in one element – halves the number of part numbers

- In ClassicLOOK or DesignLOOK to suit all machine housings
- Clearly visible from all positions thanks to the OmniVIEW lens with no blind spots
- Completely pre-assembled standard versions are available





KombiSIGN 40


Diameter	40 mm
Voltage	24V
Protection rating	IP 66
Number of tiers possible	1-5
Optional interface	IO-Link



Your benefits

- Clearly visible from all positions thanks to the OmniVIEW lens with no blind spots
- TwinLIGHT and TwinFLASH
 combine two easily selectable
 light effects in one element
- Maximum flexibility despite a small number of variants
- Save up to 50% on installation time thanks to self-explanatory connections and intuitive mechanics

- In ClassicLOOK or DesignLOOK to suit all machine housings
- Completely pre-assembled standard versions are available (common configurations as a complete tower with a single part number)
- With an optional IO-Link interface



The new generation – KombiSIGN 72 and KombiSIGN 40

There is no need to compromise with the new **KombiSIGN 72** and the **KombiSIGN 40**, because we have combined quick installation, excellent visibility and the highest level of flexibility in these products. And at an unbelievably favourable price. This is what we at WERMA have defined as the new generation.

The new KombiS/GN 72 and the KombiS/GN 40 are

• SIMPLER

- MORE ECONOMICAL
- MORE VISIBLE
- BETTER


• BRIGHTER

- FUTURE-ORIENTATED
- MORE COST-EFFECTIVE
- MORE FLEXIBLE





The ideal partner for your applications









KombiSIGN 40 for equipment manufacturing, smaller machines, shipping and logistics



WERMA Signaltechnik GmbH + Co. KG

Dürbheimer Str. 15 D-78604 Rietheim-Weilheim Phone +49 74 24 9557-0 Fax +49 74 24 9557-44 www.werma.com info@werma.com

WERMA Signaltechnik

Niederlassung Neuhausen am Rhf. Rheingoldstrasse 50 8212 Neuhausen am Rheinfall Switzerland Phone +41 52 674 00 60 Fax +41 52 674 00 66 www.werma.ch

WERMA SARL

56, Rue Calière
69780 Mions
France
Phone +33 472 22 37 37
Fax +33 472 22 37 64
www.werma.fr
info@werma.fr

WERMA BENELUX bvba

Industrieweg 78-80 Bus 2 9032 Wondelgem Belgium Phone +32 220 31 11 Fax +32 222 81 11 www.wermabenelux.com info@wermabenelux.com

WERMA (UK) Ltd.

11 Regent Park
37 Booth Drive
Park Farm Industrial Estate
Wellingborough NN8 6GR
Great Britain
Phone +44 1536 486930
Fax +44 1536 51 4810
www.werma.co.uk
uksales@werma.co.uk

WERMA USA Inc.

6731 Collamer Road
East Syracuse, NY 13057 USA
Phone +1 315 414 0200
Fax +1 315 414 0201
www.werma.com
us-info@werma.com

WERMA (Shanghai) Co., Ltd.

No. 8, High Technology Zone, No. 503, Meinengda Road, Songjiang, Shanghai, P. R. C 201613 China Phone +86 21 5774-00 24

Fax +86 21 57 74-6601 www.werma.com.cn info@werma.com.cn





